



Centrum stavebního inženýrství a.s. Praha
Centre of Building Construction Engineering Prague
Akreditované zkušební laboratoře, Autorizovaná osoba,
Oznámený subjekt, Certifikační orgán
Accredited Test Laboratories, Authorised Body,
Notified Body, Certification Body
Pražská 16, 102 00 Praha 10



CERTIFICATE OF CONSTANCY OF PERFORMANCE

1390 – CPR – 0341/12/P

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Factory made mineral wool products used for building equipment and industrial instalations, sold under the trade mark

ROCKTERM

Industrial Batts Black 60/TECHROCK 60 FB1

Industrial Batts Black 60Z/TECHROCK 60 FB2

Industrial Batts Black 80/TECHROCK 80 FB1

(trade marks and type codes according to list given in the annex to the certificate)

Methods of measurement and product description are listed in the report No. 1390-CPD-0341/12/P from 22. 03. 2013

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**
ul. Kwiatowa 14
66-131 Cigacice, Poland

and produced in the factory : **ROCKWOOL Polska, Sp.z o.o.**
ul. Kwiatowa 14
66-131 Cigacice, Poland (production line CIG 4)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

EN 14 303:2009+ A1:2013

under system 1 are applied and that the product fulfills all the prescribed requirements set out above.

This certificate was first issued on 08. 08. 2012 as a certificate in accordance with CPD and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Notified Body 1390
Prague, 30. 12. 2013




Ing. Petr Kučera, CSc.
Deputy of Notified Body 1390



Centrum stavebního inženýrství a.s. Praha
Centre of Building Construction Engineering Prague

Akreditované zkušební laboratoře, Autorizovaná osoba,

Oznámený subjekt, Certifikační orgán

Accredited Test Laboratories, Authorised Body,

Notified Body, Certification Body

Pražská 16, 102 21 Praha 10



Annex to the CERTIFICATE OF CONSTANCY OF PERFORMANCE
1390-CPR-0341/12/P

The certificate covers the following products of Rockwool Polska Sp. z o.o.,
ul. Kwiatowa 14, 66-131 Cigacice, Poland

tab 1

Trade mark	Thermal conductivity W/m·K	Reaction to fire	Type code in accordance with EN 14 303
ROCKTERM	see tab. 2	A1	d < 50mm MW EN 14 303-T3-ST(+)250-WS1 d = 50 - 59mm MW EN 14 303-T3-ST(+)250-AW0.75-WS1 d = 60 - 99mm MW EN 14 303-T4-ST(+)250-AW0.75-WS1 d ≥ 100 mm MW EN 14 303-T4-ST(+)250-AW1.00-WS1
Industrial Batts Black 60 TECHROCK 60 FB1			d < 60mm MW EN 14 303-T3-ST(+)400-WS1 d ≥ 60 mm MW EN 14 303-T4-ST(+)400-WS1 d = 50 mm MW EN 14 303-T3-ST(+)400-AW0.95-WS1
Industrial Batts Black 60Z TECHROCK 60 FB2			d < 60mm MW EN 14 303-T3-ST(+)400-WS1 d ≥ 60 mm MW EN 14 303-T4-ST(+)400-WS1 d = 100 mm MW EN 14 303-T4-ST(+)400-AW1.00-WS1
Industrial Batts Black 80 TECHROCK 80 FB1			d < 60mm MW EN 14 303-T3-ST(+)400-WS1 d ≥ 60 mm MW EN 14 303-T4-ST(+)400-WS1 d = 20 mm MW EN 14 303-T3-ST(+)400-AW0.40-WS1

tab 2

Trade mark	λ_D Thermal dependence of thermal conductivity W/m·K									
	50	100	150	200	250	300	400	500	600	650
ROCKTERM										
Industrial Batts Black 60 TECHROCK 60 FB1	0,039	0,049	0,060	0,075	0,093	0,113	0,137	0,163	-	-
Industrial Batts Black 60Z TECHROCK 60 FB2										
Industrial Batts Black 80 TECHROCK 80 FB1	0,039	0,045	0,053	0,062	-	0,089	0,124	0,168	0,220	0,249

Notified Body 1390
Prague, 30. 12. 2013



Ing. Petr Kučera, CSc.
Deputy of Notified Body 1390